



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER OF PATENTS AND TRADEMARKS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
29/181,026	05/02/2003	2900	230	43098-4 (183933)	22	1	1

John J. Marshall
 DRINKER BIDDLE & REATH LLP
 Suite 300
 1000 Westlakes Drive
 Berwyn, PA 19312-2409

CONFIRMATION NO. 1312

UPDATED FILING RECEIPT



OC000000010931604

Date Mailed: 09/26/2003

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Amnon Shiloni, Residence Not Provided;

Domestic Priority data as claimed by applicant**Foreign Applications**

ISRAEL 37166 11/04/2002
 ISRAEL 37167 11/04/2002
 ISRAEL 37168 11/04/2002
 ISRAEL 37169 11/04/2002

If Required, Foreign Filing License Granted: 06/20/2003


Projected Publication Date: None, application is not eligible for pre-grant publication

Non-Publication Request: No

Early Publication Request: No

** SMALL ENTITY **

Title



HAND GUARD FOR A RIFLE

Preamble

Be it known that I, AMNON SHILONI, have invented a new, original and ornamental design for a HAND GUARD FOR A RIFLE, of which the following is a specification, reference being made to the following description and the accompanying drawings which form a part hereof.

Figure descriptions

Figure 1 is a perspective view of a HAND GUARD FOR A RIFLE assembled from two identical halves according to the present invention, as seen from the front, above and from the left side.

Figure 2 is a top plan view of the HAND GUARD of Figure 1, the bottom plan view being identical if obtained by rotating the HAND GUARD 180 degrees about its long axis.

Figure 3 is a left side elevation of the HAND GUARD of Figure 1, the right side elevation being an inverted mirror image if obtained by rotating the HAND GUARD 180 degrees about its short axis.

Figure 4 is a front elevation of the HAND GUARD of Figure 1.

Figure 5 is a rear elevation of the HAND GUARD of Figure 1.

Figure 6 is a perspective view of one of the identical halves of the HAND GUARD shown in Figure 1, as seen from the front, above and from the left side.

Figure 7 is a top plan view of the HAND GUARD half of Figure 6.

Figure 8 is a left side elevation of the HAND GUARD half of Figure 6.

Figure 9 is a bottom plan view of the HAND GUARD half of Figure 6, the bottom plan view obtained by rotating that of Figure 7 180 degrees about its long axis.

Figure 10 is a right side elevation of the HAND GUARD half of Figure 6, the right side elevation obtained by rotating that of Figure 8 180 degrees about its long axis.

Figure 11 is a front elevation of the HAND GUARD half of Figure 6.

Figure 12 is a rear elevation of the HAND GUARD half of Figure 6.

Figure 13 is a perspective view of the HAND GUARD half of Figure 6 with its rail covers removed, as seen from the front, above and from the left side.

Figure 14 is a top plan view of the HAND GUARD half as shown in Figure 13.

Figure 15 is a left side elevation of the HAND GUARD half as shown in Figure 13.

Figure 16 is a bottom plan view of the HAND GUARD half as shown in Figure 13, the bottom plan view obtained by rotating that of Figure 14 180 degrees about its long axis.

Figure 17 is a right side elevation of the HAND GUARD half as shown in Figure 13, the right side elevation obtained by rotating that of Figure 15 180 degrees about its long axis.

Figure 18 is a front elevation of the HAND GUARD half as shown in Figure 13.

Figure 19 is a rear elevation of the HAND GUARD half as shown in Figure 13.

Figure 20 is a perspective view of a second embodiment of a HAND GUARD half as seen from the front, above and from the left side.

Figure 21 is a top plan view of the HAND GUARD half of Figure 20.

Figure 22 is a left side elevation of the HAND GUARD half of Figure 20.

Figure 23 is a bottom plan view of the HAND GUARD half of Figure 20, the bottom plan view obtained by rotating that of Figure 21 180 degrees about its long axis.

Figure 24 is a right side elevation of the HAND GUARD half of Figure 20, the right side elevation obtained by rotating that of Figure 22 180 degrees about its long axis.

Figure 25 is a front elevation of the HAND GUARD half of Figure 20.

Figure 26 is a rear elevation of the HAND GUARD half of Figure 20.

Figure 27 is a perspective view of the HAND GUARD half of Figure 20 with its rail covers removed, as seen from the front, above and from the left side.

Figure 28 is a top plan view of the HAND GUARD half as shown in Figure 27.

Figure 29 is a left side elevation of the HAND GUARD half as shown in Figure 27.

Figure 30 is a bottom plan view of the HAND GUARD half as shown in Figure 27, the bottom plan view obtained by rotating that of Figure 28 180 degrees about its long axis.

Figure 31 is a right side elevation of the HAND GUARD half as shown in Figure 27, the right side elevation obtained by rotating that of Figure 29 180 degrees about its long axis.

Figure 32 is a front elevation of the HAND GUARD half as shown in Figure 27.

Figure 33 is a rear elevation of the HAND GUARD half as shown in Figure 27.

Figure 34 is a perspective view of an assembled HAND GUARD formed from two identical HAND GUARD halves as shown in Figure 20, as seen from the front, above and from the left side.

Figure 35 is a top plan view of the HAND GUARD of Figure 34, the bottom plan view being identical if obtained by rotating the HAND GUARD 180 degrees about its long axis.

Figure 36 is a left side elevation of the HAND GUARD of Figure 34, the right side elevation being an inverted mirror image if obtained by rotating the HAND GUARD 180 degrees about its short axis.

Figure 37 is a front elevation of the HAND GUARD of Figure 34.

Figure 38 is a rear elevation of the HAND GUARD of Figure 34.

The rifle engaging elements shown on the front and rear of the HAND GUARD in broken lines form no part of the claimed design. The inside features of the HAND GUARD, which are shown in broken lines, also form no part of the claimed design.

Claim

I claim the ornamental design for a HAND GUARD FOR A RIFLE as shown and described.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38